terryhuang 2007-07-26 10:34:37 net.sf.hibernate.HibernateException: Session is closed at net.sf.hibernate.impl.SessionImpl.connection(SessionImpl.java:3283) at com.kingstargroup.system.OnLineBean.updateOnLine(OnLineBean.java:197) at org.apache.jsp.webui.end_jsp.jspService(end_jsp.java:56) at org.apache.jasper.runtime.HttpJspBase.service(HttpJspBase.java:94) at javax.servlet.http.HttpServlet.service(HttpServlet.java:810) at org.apache.jasper.servlet.JspServletWrapper.service(JspServletWrapper.java:298) at org.apache.jasper.servlet.JspServlet.serviceJspFile(JspServlet.java:292) at org.apache.jasper.servlet.JspServlet.service(JspServlet.java:236) at javax.servlet.http.HttpServlet.service(HttpServlet.java:810) at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:237) at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:157) at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:214) at org.apache.catalina.core.StandardValveContext.invokeNext(StandardValveContext.java:104) at org.apache.catalina.core.StandardPipeline.invoke(StandardPipeline.java:520) at org.apache.catalina.core.StandardContextValve.invokeInternal(StandardContextValve.java:198) at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:152) at org.apache.catalina.core.StandardValveContext.invokeNext(StandardValveContext.java:104) at org.apache.catalina.core.StandardPipeline.invoke(StandardPipeline.java:520) at org.apache.catalina.core.StandardPipeline.invokeNext(StandardPipeline.java:520) at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:137) at org.apache.catalina.core.StandardValveContext.invokeNext(StandardValveContext.java:104) at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117) at org.apache.catalina.core.StandardValveContext.invokeNext(StandardValveContext.java:102) at org.apache.catalina.core.StandardPipeline.invoke(StandardPipeline.java:520) at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:109) at org.apache.catalina.core.StandardValveContext.invokeNext(StandardValveContext.java:104) at org.apache.catalina.core.StandardPipeline.invoke(StandardPipeline.java:520) at org.apache.catalina.core.ContainerBase.invoke(ContainerBase.java:929) at org.apache.coyote.tomcat5.CoyoteAdapter.service(CoyoteAdapter.java:160) at org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:793) at org.apache.coyote.http11.Http11Protocol$Http11ConnectionHandler.processConnection(Http11Protocol.java:702) at org.apache.tomcat.util.net.TcpWorkerThread.runIt(PoolTcpEndpoint.java:571) at org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java:644) at java.lang.Thread.run(Thread.java:595) ...全文 chunci99 2009-04-14 08:57:50 遇通到这样的问题啊,或是以解决这样的问题,请分享下你的经验吧~大家来讨论 我的sql 语句是: sql = "SELECT * FROM l.person WHERE name=? and password=?": com.microsoft.sqlserver.jdbc.SQLServerException: 对象名 'l.person' 无效 at com.microsoft.sqlserver.jdbc.SQLServerException.makeFromDatabaseError(Unknown Source) at com.microsoft.sqlserver.jdbc.IOBuffer.processPackets(Unknown Source) at com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement.getPrepExecResponse(Unknown Source) at com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement.doExecutePreparedStatement(Unknown Source) at com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement$PreparedStatementExecutionRequest.executeStatement(Unknown Source) at com.microsoft.sqlserver.jdbc.CancelableRequest.execute(Unknown Source) at com.microsoft.sqlserver.jdbc.SQLServerConnection.executeRequest(Unknown Source) at com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement.executeQuery(Unknown Source) at org.apache.jsp.login_005fconf_jsp._jspService(login_005fconf_jsp.java:99) at org.apache.jasper.runtime.HttpJspBase.service(HttpJspBase.java:70) at javax.servlet.http.HttpServlet.service(HttpServlet.java:717) at org.apache.jasper.servlet.JspServletWrapper.service(JspServletWrapper.java:374) at org.apache.jasper.servlet.JspServlet.serviceJspFile(JspServlet.java:342) at org.apache.jasper.servlet.JspServlet.service(JspServlet.java:267) at javax.servlet.http.HttpServlet.service(HttpServlet.java:717) at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:191) at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:128) at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:102) at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:109) at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:286) at org.apache.coyote.http11.Http11AprProcessor.process(Http11AprProcessor.java:857) at org.apache.coyote.http11.Http11AprProtocol$Http11ConnectionHandler.process(Http11AprProtocol.java:565) at org.apache.tomcat.util.net.AprEndpoint$Worker.run(AprEndpoint.java:1509) at java.lang.Thread.run(Thread.java:619) ...全文 weed_refined 2008-08-06 05:10:40 我用ireport生成一个jrxml文件,ireport与jasperreport的版本都是2.0.2,但ireport界面里面是可以查看的,编译也成功了,可是当我在servlet中运行的时候却出现了错误。 jsp文件内容如下 : Jasper test 我的 servlet中的方法如下 : public void service(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException { File reportFile = new File(getServletContext().getRealPath("/report/test.jrxml")); Connection conn = null; try { Class.forName("oracle.jdbc.driver.OracleDriver"); } catch (ClassNotFoundException e3) { e3.printStackTrace(); } String url = "jdbc:oracle:thin:@192.168.8.66:1521:idas"; String username = "idastest4"; String pwd = "idastest4"; System.out.println("---------Connect start "); try { conn = DriverManager.getConnection(url,username,pwd); Map reportMap = new HashMap(); byte[] bytes = {}; // 产生错误的地方 bytes = JasperRunManager.runReportToPdf(reportFile.getPath(),reportMap,conn); response.setContentType("application/pdf"); response.setContentLength(bytes.length); ServletOutputStream sos = response.getOutputStream(); sos.write(bytes,0,bytes.length); sos.flush(); sos.close(); } catch (JRException e1) { e1.printStackTrace(); } catch (SQLException e) { e.printStackTrace(); } finally { if(conn!=null){ try { conn.close(); System.out.println("---------Connect end "); } catch (SQLException e) { e.printStackTrace(); } } } } --------------------------- 执行jsp时报错如下 : ---------Connect start net.sf.jasperreports.engine.JRException: Error loading object from file : E:\workspace\jasperreports\WebRoot\report\test.jrxml at net.sf.jasperreports.engine.util.JRLoader.loadObject(JRLoader.java:92) at net.sf.jasperreports.engine.JasperFillManager.fillReport(JasperFillManager.java:232) at net.sf.jasperreports.engine.JasperRunManager.runReportToPdf(JasperRunManager.java:203) at com.william.jasper.controller.JasperController.service(JasperController.java:45) at javax.servlet.http.HttpServlet.service(HttpServlet.java:803) at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:269) at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:188) at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:213) at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:174) at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127) at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117) at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108) at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:151) at org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:874) at org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConnection(Http11BaseProtocol.java:665) at org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java:528) at org.apache.tomcat.util.net.LeaderFollowerWorkerThread.runIt(LeaderFollowerWorkerThread.java:81) at org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java:689) at java.lang.Thread.run(Thread.java:595) Caused by: java.io.StreamCorruptedException: invalid stream header at java.io.ObjectInputStream.readStreamHeader(ObjectInputStream.java:764) at java.io.ObjectInputStream.<init>(ObjectInputStream.java:277) at net.sf.jasperreports.engine.util.JRLoader.loadObject(JRLoader.java:87) ... 18 more ---------Connect end 我注意到E:\workspace\jasperreports\WebRoot\report\test.jrxml这个文件路径是对的,且改成.jasper后缀也不行。急死了~ 请高手帮忙解决一下,谢谢! ...全文